



- 1/3" SONY Super HAD CCD
- 8x IR LED built-in camera
- Auto white balance
- Weatherproof

## SPECIFICATION

### Image sensor format

1/3" Color SONY Super HAD

### Effective pixels

NTSC (525TVL): 512 x 492;

PAL (625TVL): 512 x 582

### H. resolution

NTSC / PAL 380TVL

### Scanning system

2:1 Interlaced

### Scanning frequency

Horizontal: 15,734Hz, Vertical:59.94Hz

### Video output level

1.0Vp-p Composite (75Ohm Composite)

### S/N ratio

More than 50dB (AGC Off)

### Gamma

r=0.45

### White balance

2100°K ~ 5600°K - Auto

### Min. illumination

1.0 Lux (IR LED Off) / 0 Lux (IR LED On)

### Electronic shutter

NTSC: 1/60, 1/100,000sec

PAL: 1/50, 1/100,000sec

### IR LED

Visible 5mm Diameter (850nm, 30°) x 8ea

### Visibility range

Real 5 Meter (Approx. 16 Feet)

### CDS sensor

IR LED On/Off at 5 Lux

### Operating temperature / humidity

-30°C ~ +80°C / 10% ~ 95% RH

### Lens

STD Lens: Fix 2.4mm Lens F:1.8

### Power source

DC12V 120mA (Max 200mA)

### Dimensions (Inch)

2.77(W) x 2.65(H) x 4.9(D)

### Weight (approx.)

350g

### Cable

Round din 4 pin locking type

# Color IR LED Weatherproof Side View Camera

／ DIMENSIONS (Unit: mm)

WDRV-3478C

